NOVA TECHNOLOGY™

... YOUR PARTNER IN
LOADING DOCK SAFETY AND EFFICIENCY SOLUTIONS



NOVA EZ-LOCK™ VEHICLE RESTRAINTS

NOVA EZ LOCK™ VEHICLE RESTRAINT

The NOVA EZ-Lock™ is a manual hook-style vehicle restraint that secures the trailer's rear impact guard (RIG) at the dock to reduce the risk of premature departure and trailer movement during loading and unloading. Its spring-loaded housing lowers with truck contact, and the carriage automatically adjusts with trailer float. The EZ-Lock™ has an enhanced design with a patented Triple Range Hook that outperforms competitor hook-style restraints:

- Secures RIG bars that are rectangular, pentagonal and feature 4 1/2-inch vertical center plates
- Triple Range Hook safely secures RIGs while the hook is at various heights
- Hook is upwardly biased and rotates to increase engagement if contacted by the RIG when trailer shifts during loading and unloading

FEATURES AND BENEFITS

- Manual operation means no electrical installation is required
- Features a proven rotating hook design
- Equipped with an easy-to-use handle
- Simple engagement and release operation
- Complies with most architectural design applications
- Compatible with Intermodal chassis
- Capable of handling RIG bars with a plate
- Most moving parts are enclosed for smooth operation
- Includes slope extension
- Hook maintains engagement with RIG
- Includes a 5-year warranty



Simple engagement and release operation

EXCEPTIONAL VERSATILITY

The EZ-Lock™ Triple Range Hook secures RIG bars that are rectangular, pentagonal and feature 4 1/2-inch vertical center plates. Its low-profile 9-inch carriage works with all standard trailers. Engagement range extends from 9 to 31-inches above the ground.

RELIABLE

Withstands a pull-away force of over 32,000-pounds and helps prevent premature departure, trailer creep, landing gear collapse, trailer pop-up and trailer up-ending.

EASY TO USE

The spring-loaded carriage lowers with truck contact, and the restraint is operated by operator using supplied handle.

OPTIONAL FEATURES

- Articulated slope extension
- Projection brackets and reinforcing plates
- Manually activated inside and outside signal lights
- Automatically activated inside and outside signal lights

Designed to secure pentagonal RIG bars



Engages reinforced RIG bars with 4 1/2-inch vertical center plates



Secures standard trailers and any vehicle with an open RIG bar

1-800-236-7325

www.novalocks.com

WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

LOADING DOCK EQUIPMENT PRODUCTS BUILT FOR SAFETY, RELIABILITY AND STRENGTH

VEHICLE RESTRAINTS
The most effective way to prevent accidents caused by trucks and trailers from prematurely pulling away from docks during loading and unloading.

DOCK LEVELERS
Allow forklifts to make a smooth, safe transition between loading dock and trailer, reducing the effects of dock shock and the jarring that occurs when a lift truck crosses between the warehouse floor and trailer bed.

SEALS AND SHELTERS
A wide variety of designs to fit your facility's needs for vehicle type, door size, dock height, driveway grade, dock traffic and weather conditions.



SAFETY BARRIER PRODUCTS
Reduce your risk of injury as well as damage to your building, equipment and products.

LOADING DOCK ACCESSORIES
Comprehensive line of loading dock accessories and loading dock aftermarket products to improve safety, productivity, security and environmental control.

Since 1986, NOVA has been providing innovation and reliability to the loading dock industry. We manufacture and distribute a comprehensive line of vehicle restraints, mechanical, air-powered and hydraulic dock levelers, edge-of-dock levelers, dock seals and shelters, safety barrier products, and other loading dock accessories to improve safety, productivity, security and environmental control.

For a dealer in your area or for additional information on routine service, preventative maintenance, product questions, or to request a quote, contact NOVA Technology.

NOVA TECHNOLOGY™

1-800-236-7325

www.novalocks.com

W141N9240 Fountain Blvd, Menomonee Falls, WI 53051 | phone 262-502-1591 | fax 262-502-1511